

Size	A	B	C	D	E	Pitch	Plate
1"	.980 ϕ $\pm .005$	1.150 ϕ $\pm .010$.435 $\pm .010$	1.057 ϕ $\pm .010$.781 ϕ	7	90#
1-3/4"	1.712 ϕ $\pm .005$	1.900 ϕ $\pm .010$.510 $\pm .010$	1.811 ϕ $\pm .010$	1.490 ϕ	6	90#

DISCLAIMER

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DISTRIBUTED BY:



REF NO.:

DWG10027-2

DESCRIPTION:


1.75 in Delta Metal Cap

TECHNICAL DATA SHEET



ALUMINUM FOIL

Bleached Kraft Paper



Aluminum Foil

Description: As a liner material, Aluminum Foil is generally supplied in 0.00035" to 0.002" thickness laminated to a paper backing or directly to the backing boards. MVTR and gas transmissions are close to zero in foil thickness higher than 0.001", but slightly higher than zero in foil thickness less than 0.001" due to pinholes. It has been used for sealing non-acidic and non-alkaline products not to volatile in nature but containing ingredients that readily affect varnish coatings, synthetic resins and wax coatings.

SPECIFICATIONS

LINER TYPE	THICKNESS
ALUMINUM FOIL or without a 0.0035" bleached	0.00035" TO 0.002" with kraft paper backing

Good Resistance To: Organic Solvents, Oil and Grease

Poor Resistance To: Acid, Alkalis and Aqueous Products

FDA Status: GRAS

Revision Date: 2/23/99

CODE OF FEDERAL REGULATIONS COMPLIANCE:

FDA STATUS: The component materials of Aluminum Foil are listed under DMF 1378

The information supplied on this TEKNI-PLEX Data Sheet is believed to be accurate but is based on laboratory tests which do not simulate actual use conditions. NO REPRESENTATION, GUARANTEES OR WARRANTIES OF ANY KIND ARE MADE AND TEKNI-PLEX INC SPECIFICALLY DISCLAIMS THE IMPLIED WARRANTY OF MERCHANTABILITY AND THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. Tekni-Plex Inc shall not be liable for the customer assumes all risk and liability for any use or handling of any material beyond Tekni-Plex Inc's direct control. Regardless of recommendations made, all uses of lining material should be tested and verified for suitability in the specific intended application.

www.tekni-plex.com

DISCLAIMER THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.	DISTRIBUTED BY:	REF NO.: DWG10027-2
	DESCRIPTION: 1.75 in Delta Metal Cap	