CAN_SIZE: 200 X 708 TABULATION VALUES A LITHO BODY BLANK LENGTH 6.510±.001 COVER HOOK .080±.008 B8 BODY BLANK HEIGHT 7.437±.002 CHUCK DIAMETER 2.364±.006 CC FLANGED CAN HEIGHT 7.497±.006 CHUCK LIP .160±.006 D0 OPEN END CAN HEIGHT 7.497±.012 1ST OP. ROLL GROOVE A-12002W EE RESTRAIGHTENED HEIGHT* 7.537 2ND OP. NECKED ID G0 1.894, NO 1.902 B OUTSIDE CUP OPENING 1.000±.002 Q TOP, NECKED ID G0 2.004, NO 2.012 C CURL HEIGHT OVER DOUBLE SEAM 3.704.010 S OVERCAP CONTACT POINT 260±.006 D HEIGHT OVER DOUBLE SEAM 7.480±.010 S OVERCAP CONTACT POINT 260±.006 C CURL THICKNESS 1.30±.005 BODY BASE WEIGHT 7.437/70/ I FF FLANGE WIDH .096±.010 BODY BASE WEIGHT 7.637/70/ I K 0.0. OVER DOUBLE SEAM 1.996±.010 BODY BASE WEIGHT 10.31/112/ K 0.0.		GRAIN BUDY BLANK AA AA CURL & DVERCAP DETAIL	BB FF FLANGE WIDTH 'CC'		Z PLUG DIAMETER H D' DD' 'EE'		, К, , , , , , , , , , , , , , , , , ,	
BB BODY BLANK HEIGHT 7.630±.002 CHUCK DIAMETER 2.364±.006 CC FLANGED CAN HEIGHT 7.497±.006 CHUCK LIP 1.60±.006 D0 OPEN END CAN HEIGHT 7.487±.012 1ST OP. ROLL GROOVE A-12002W EE RESTRAIGHTENED HEIGHT* 7.537 2ND OP. ROLL GROOVE A-12183 A INSIDE CUP OPENING 1.000±.002 Q TOP. NECKED ID GO 1.894, NO 1.902 B OUTSIDE CUP OPENING 1.221±.005 R BOTTOM, NECKED ID GO 2.004, NO 2.012 C CURL HEIGHT OVER DOUBLE SEAM .370±.010 S OVERCAP CONTACT POINT .260±.006 D HEIGHT OVER DOUBLE SEAM .370±.010 S OVERCAP CONTACT POINT .260±.006 C CURL HEIGHT OVER DOUBLE SEAM .370±.010 W NECK ANGLE .35' ±4' E FACTORY FINISHED CAN HEIGHT .096±.010 LIQUID STRIPE WEIGHT 1.31.±3.3				N VALU]		
CC FLANGED CAN HEIGHT 7.497±.006 CHUCK LIP .160±.006 D0 OPEN END CAN HEIGHT 7.487±.012 1ST OP. ROLL GROOVE A-12002W EE RESTRAIGHTENED HEIGHT* 7.537 2ND OP. ROLL GROOVE A-12183 A INSIDE CUP OPENING 1.00±.002 Q TOP. NECKED ID GO 1.894, NO 1.902 B OUTSIDE CUP OPENING 1.221±.005 R BOTTOM, NECKED ID GO 2.004, NO 2.012 C CURL HEIGHT OVER DOUBLE SEAM .370±.010 S OVERCAP CONTACT POINT .260±.006 D HEIGHT OVER DOUBLE SEAM 7.480±.010 W NECK ANGLE 35' ±4' E FACTORY FINISHED CAN HEIGHT .096±.010 LIQUID STRIPE WEIGHT 13.1±3.3 G CURL THICKNESS .130±.005 BODY BASE WEIGHT 10.3*/1124 K O.D. OVER DOUBLE SEAM 1.996±.010 BODY BASE WEIGHT 10.3*/1124 K O.D. OVER DOUBLE SEAM 1.996±.010 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 INKORNON. BODY H								
DD OPEN END CAN HEIGHT 7.487±.012 1ST OP. ROLL GROOVE A-12002W EE RESTRAIGHTENED HEIGHT* 7.537 2ND OP. ROLL GROOVE A-12183 A INSIDE CUP OPENING 1.000±.002 Q TOP, NECKED ID GO 1.894, NO 1.902 B OUTSIDE CUP OPENING 1.221±.005 R BOTTOM, NECKED ID GO 2.004, NO 2.012 C CURL HEIGHT OVER DOUBLE SEAM 7.480±.010 W NECK ANGLE 35' ±4' E FACTORY FINISHED CAN HEIGHT 7.850±.020 SEAM TIGHTNESS 85-100% G CURL THICKNESS .130±.005 BODY BASE WEIGHT 13.1±3.3 G CURL THICKNESS .130±.005 BODY BASE WEIGHT 103#/112# K O.D. OVER DOUBLE SEAM 1.996±.010 BOTTOM BASE WEIGHT 103#/112# K O.D. OVER DOUBLE SEAM 1.996±.010 BOTTOM BASE WEIGHT 103#/107# BODY HOOK .080±.008 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 INSIDECLAIMER DISCLAIMER <td colspa<="" th=""><th></th><th></th><th></th><th></th><th></th><th></th><th>4</th></td>	<th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>4</th>							4
EE RESTRAIGHTENED HEIGHT* 7.537 2ND OP. ROLL GROOVE A-12183 A INSIDE CUP OPENING 1.000±.002 Q TOP, NECKED ID GO 1.894, NO 1.902 B OUTSIDE CUP OPENING 1.221±.005 R BOTTOM, NECKED ID GO 2.004, NO 2.012 C CURL HEIGHT OVER DOUBLE SEAM .370±.010 S OVERCAP CONTACT POINT .260±.006 D HEIGHT OVER DOUBLE SEAM .370±.010 W NECK ANGLE 35' ±4' E FACTORY FINISHED CAN HEIGHT .360±.020 SEAM TIGHTNESS 85-100% FF FLANGE WIDTH .096±.010 LIQUID STRIPE WEIGHT 13.1±3.3 G CURL THICKNESS .130±.005 BODY BASE WEIGHT 1034/1124 K O.D. OVER DOUBLE SEAM 1.996±.010 BOTTOM BASE WEIGHT 1004/1076 K O.D. OVER DOUBLE SEAM 1.996±.010 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 DWG NO.: THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS, IT IS THE CUSTOMERS RESPONSIBILITIES TO SELECT DWG NO.: DWG 100 <th></th> <th></th> <th></th> <th>+</th> <th></th> <th></th> <th>4</th>				+			4	
A INSIDE CUP OPENING 1.000±.002 Q TOP, NECKED ID GO 1.894, NO 1.902 B OUTSIDE CUP OPENING 1.221±.005 R BOTTOM, NECKED ID GO 2.004, NO 2.012 C CURL HEIGHT OVER DOUBLE SEAM .370±.010 S OVERCAP CONTACT POINT .260±.006 D HEIGHT OVER DOUBLE SEAM .7.480±.010 W NECK ANGLE .35' ±4' E FACTORY FINISHED CAN HEIGHT 7.850±.020 SEAM TIGHTNESS .85-100% G CURL THICKNESS .130±.005 BODY BASE WEIGHT 13.1±3.3 G CURL THICKNESS .130±.005 BODY BASE WEIGHT 103#/112# H PLUG DVANETER 2.059±.002 TOP BASE WEIGHT 103#/112# K O.D. OVER DOUBLE SEAM 1.996±.010 BOTTOM BASE WEIGHT 100#/107# BODY HOOK .080±.008 BODY BLANK SQUARENESS .0043 MAX .0043 MAX OVERLAP .0450110 BOTTOM BASE WEIGHT 103#.026 .018=.026 I IISINFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: percentrel on theistrel on theistons. It IS THE CUSTOMER'S RESPONSIBILITI							4	
B OUTSIDE CUP OPENING 1.221±.005 R BOTTOM, NECKED ID GO 2.004, NO 2.012 C CURL HEIGHT OVER DOUBLE SEAM .370±.010 S OVERCAP CONTACT POINT .260±.006 D HEIGHT OVER DOUBLE SEAM 7.480±.010 W NECK ANGLE .35' ±4' E FACTORY FINISHED CAN HEIGHT 7.850±.020 SEAM TIGHTNESS 85–100% G CURL THICKNESS .130±.005 BODY BASE WEIGHT 7.5//70/ G CURL THICKNESS .130±.005 BODY BASE WEIGHT 7.5//70/ H PLUG DAMETER 2.059±.002 TOP BASE WEIGHT 103//112/ K O.D. OVER DOUBLE SEAM 1.996±.010 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WEID OVERLAP .018026 DISCLAIMER DISTRIBUTED BY: DISTRIBUTED BY: DISTRIBUTED BY: DISTRIBUTED BY: DIWG NO.: DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: DIWG NO.: DWG NO.:							4	
C CURL HEIGHT OVER DOUBLE SEAM .370±.010 S OVERCAP CONTACT POINT .260±.006 D HEIGHT OVER DOUBLE SEAM 7.480±.010 W NECK ANGLE 35' ±4' E FACTORY FINISHED CAN HEIGHT 7.850±.020 SEAM TIGHTNESS 85-100% G CURL THICKNESS .130±.005 BODY BASE WEIGHT 13.1±3.3 G CURL THICKNESS .130±.005 BODY BASE WEIGHT 754/704 H PLUG DAMETER 2.059±.002 TOP BASE WEIGHT 1034/1124 K O.D. OVER DOUBLE SEAM 1.996±.010 BODY BLANK SQUARENESS .0043 MAX BODY HOOK .080±.008 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 DISCLAIMER THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: peline Packaging DWG NO.: DWG 100							4	
D HEIGHT OVER DOUBLE SEAM 7.480±.010 W NECK ANGLE 35° ±4° E FACTORY FINISHED CAN HEIGHT 7.850±.020 SEAM TICHTNESS 85–100% FF FLANGE WIDTH .096±.010 LIQUID STRIPE WEIGHT 13.1±3.3 G CURL THICKNESS .130±.005 BODY BASE WEIGHT 754/704 H PLUG DIAMETER 2.059±.002 TOP BASE WEIGHT 1034/1124 K 0.0. OVER DOUBLE SEAM 1.996±.010 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 DISCLAIMER THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: peline Packaging' DWG NO.:							4	
E FACTORY FINISHED CAN HEIGHT 7.850±.020 SEAM TIGHTNESS 85–100% FF FLANGE WIDTH .096±.010 LIQUID STRIPE WEIGHT 13.1±3.3 G CURL THICKNESS .130±.005 BODY BASE WEIGHT 754/704 H PLUG DIAMETER 2.059±.002 TOP BASE WEIGHT 1034/1124 K O.D. OVER DOUBLE SEAM 1.996±.010 BOTTOM BASE WEIGHT 1004/1074 BODY HOOK .080±.008 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 DISCLAIMER DISCLAIMER DISTRIBUTED BY: DISTRIBUTED BY: DWG NO.: UMG100 DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: DWG NO.:							1	
FF FLANGE WIDTH .096±.010 LIQUID STRIPE WEIGHT 13.1±3.3 G CURL THICKNESS .130±.005 BODY BASE WEIGHT 75#/70# H PLUG DIAMETER 2.059±.002 TOP BASE WEIGHT 103#/112# K O.D. OVER DOUBLE SEAM 1.996±.010 BOTTOM BASE WEIGHT 100#/107# BODY HOOK .080±.008 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 DISCLAIMER DISCLAIMER DISTRIBUTED BY: DISTRIBUTED BY: DWG NO.: DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DWG NO.: DWG100							1	
G CURL THICKNESS .130±.005 BODY BASE WEIGHT 75/70/ H PLUG DIAMETER 2.059±.002 TOP BASE WEIGHT 103//112/ K O.D. OVER DOUBLE SEAM 1.996±.010 BOTTOM BASE WEIGHT 100//107/ BODY HOOK .080±.008 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 DISCLAIMER DISTRIBUTED BY: Distributed BY: DWG NO.: DWG NO.: DWG NO.: DWG NO.: DWG NO.:	1 E		/.0JUI.UZU					
H PLUG DIAMETER 2.059±.002 TOP BASE WEIGHT 103#/112# K O.D. OVER DOUBLE SEAM 1.996±.010 BOTTOM BASE WEIGHT 100#/107# BODY HOOK .080±.008 BODY BLANK SQUARENESS .0043 MAX OVERLAP .045_MIN Z WELD OVERLAP .018026 DISCLAIMER DISTRIBUTED BY: Distributed BY: DWG NO.: THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: DWG NO.: DWG100 DWG100 DWG100 DWG100		FLANGE WIDTH				13.1±3.3	1	
BODY HOOK .080±.008 BODY BLANK SQUARENESS .0043 MÅX OVERLAP .045_MIN Z WELD OVERLAP .018026 DISCLAIMER DISCLAIMER DISTRIBUTED BY: peline Packaging DWG NO.: THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: peline Packaging DWG NO.:	FF G	FLANGE WIDTH CURL THICKNESS	.096±.010 .130±.005		LIQUID STRIPE WEIGHT BODY BASE WEIGHT	13.1±3.3 75#/70#		
OVERLAP .045_MIN Z WELD OVERLAP .018026 DISCLAIMER DISCLAIMER DISTRIBUTED BY: DWG NO.: THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: DWG NO.:	FF G H	FLANGE WIDTH CURL THICKNESS PLUG DIAMETER	.096±.010 .130±.005 2.059±.002		LIQUID STRIPE WEIGHT BODY BASE WEIGHT TOP BASE WEIGHT	13.1±3.3 75 /70 103 /112		
DISCLAIMER DISTRIBUTED BY: DWG NO.: THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT DISTRIBUTED BY: DWG NO.:	FF G H	FLANGE WIDTH CURL THICKNESS Plug Diameter O.D. Over Double Seam	.096±.010 .130±.005 2.059±.002 1.996±.010		LIQUID STRIPE WEIGHT BODY BASE WEIGHT TOP BASE WEIGHT BOTTOM BASE WEIGHT	13.1±3.3 75/70/ 103/112/ 100/107/		
THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT	FF G H	FLANGE WIDTH CURL THICKNESS Plug Diameter O.D. Over Double Seam Body Hook	.130±.005 2.059±.002 1.996±.010 .080±.008		LIQUID STRIPE WEIGHT BODY BASE WEIGHT TOP BASE WEIGHT BOTTOM BASE WEIGHT BODY BLANK SQUARENESS	13.1±3.3 75/70/ 103/112/ 100//107/ .0043 MAX		
THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY. 13.3oz Aerosol Can, 200x708	FF G H	FLANGE WIDTH CURL THICKNESS Plug Diameter O.D. Over Double Seam Body Hook	.130±.005 2.059±.002 1.996±.010 .080±.008	Z	LIQUID STRIPE WEIGHT BODY BASE WEIGHT TOP BASE WEIGHT BOTTOM BASE WEIGHT BODY BLANK SQUARENESS	13.1±3.3 75#/70# 103#/112# 100#/107# .0043 MAX .018026		