
# TECHNICAL SPECIFICATION **CAN D.165**

### **FFATURES**

TEATORES							
NOM.DIAM	165	HEIGHT	195	PRESS.TEST	0.3-0.4 bar		



### **TECNICAL MEASUREMENTS AND ACCESSORIES**

LEVER LID	Triple tight lever lid D.165	CHARACTERISTICS LID	ETP as per DIN EN 10202 norms,				
			thickness 0,24 mm. Internal coating:				
			PLAIN. External printing :PLAIN.				
HANDLE	-	HANDLE POSITION	-				
WELD	Longitudinal electric	WELD POSITION	-				
BEAD	-	BEAD POSITION	-				
ASSEMBLING							
RING	Prime quality electrolitic tinplate in accordance with DIN EN 10202 norms, mm. 0,25-0,26 thickness. Cold-						
	produced element with injection of synthetic rubber.Internal appearance:PLAIN. External appearance :PLAIN.						
	Assembly to body with double seam.						
BODY	Prime quality electrolitic tinplate in accordance with DIN EN 10202 norms, mm. 0,24 thickness. Longitudinal						
	Electrical weld. Internal appearance:PLAIN. External appearance: WHITE or PRINTER.						
BOTTOM	Prime quality electrolitic tinplate in accordance with DIN EN 10202 norms, mm. 0,24 thickness.Cold-produced						
	element with injection of synthetic rubber. Internal appearance: PLAIN. External appearance: PLAIN. Assembly to						

#### PALLETIZATION:

Pallet cm.1200x1090, n° 6 stacks, total of 276 units.+Pallet cm.1200x1090, n° 5 stacks, total of 230 units. H.max 2440 mm.+ stretch

### **FEATURES AND TESTS:**

Theoretical Capacity 3,8 Lt.- Commercial Capacity 3,5 Lt.Can Weight 269 ± 4% - Pressure lid wheight 53 ± 4%

control to champion of the can at 0,2 bar and technical control of the seam on sampling.

Based on sampling, leak test into the water and tearing test of the weld.

## APPROVAL: |-

Methods of conservation: Store in a cool and dry place, and in the absence of: humidity, dust and heat sources; protect from light and from any type of abrasion that could alter the initial constructive characteristics

Packaging labeling codes pursuant to art 219 paragraph 5 of Legislative Decree 152/2006 and subsequent amendments

TYPE OF PACKAGING ROOF INTERLAYERS PAP 20 TYPE OF PACKAGING PALLET FILM/TOP CAN LDPE 4

LABELING CODE 97/129/CE



body with double seam.

LABELING CODE 97/129/CE FOR 50



REF NO.:



**DISCLAIMER** THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DISTRIBUTED BY:

ipeline Packaging

DWG31124

**DESCRIPTION:** 

1 Gallon Metal Paint Can, Without Ears, 610 x 711